





RAPID

Architecture Hardware
Furniture Fittings



RDC-A-9968





”

WE CARE
WHAT
YOU CARE

ABOUT US

Rapid Intelligent Company (UK) Limited is a UK Base Startup Technology Company, we are a smart Care solution provider. Our society is progressing. And our lives should be more progressive... Now is the time to improve it, our products are beginning to evolve towards electronic technology.

We offer smart lock, fingerprint locks, and electronic door viewers, by using those technologies to enhance your living quality let you have extra comfort, convenience, and efficiency at home. The company specializing in the manufacture of high-quality hardware fittings and electronic locks.

Our products include padlocks, brass profile cylinder locks, heavy-duty shelf support and fingerprint locks.

CONTENT

To assist you in finding the products you need we have divided the catalogue into the following colour coded sections.

01

DOOR CONTROLS

- Door Closer 4-15
- Concealed Door Closer 16-21

02

DOOR HARDWARE

- Door Selector 22-25
- Door Fitting 26-53
- Door Viewer 54-60
- Butt Hinge 62-70
- Concealed Door Hinge 72-81
- Lever Handle 82-88
- Door Handle 90-97
- Pull Handle 98-105
- Sliding Door Roller 106-111

03

LOCKCASES

- Cylinder 112-115
- Cylinder Accessories 116-118
- Mortise Lock 120-136
- Cylindrical Lock 138-143
- Electronic Entrance & Furniture Lock 144-155

04

EXIT HARDWARE


- Panic Bolt 156-161
- Heavy Duty Shelf Support 162-163



Door Closer

RDC-A-9881

Surface Mounted
Hydraulic Door Closer
Smart Design




Technical Data:

- Adjustable power size : EN 2-6
- Door width : 1400 mm
- Max opening angle : 180°
- Max door weight : 120 kg

Features:

- Material : Aluminum Alloy coating body
- Handing : Non-handed installation
- Mechanism : Rack & Pinion
- Valves : Thermo-constant valve
- Accessories : Standard arm / Parallel barcket
- Direction : Single action door
- Closing speed : Adjustable
- Latching speed : Adjustable
- Back check : Adjustable



Application & Fixing:

- Standard door mount on pull side
- Transom mount on push side
- Parallel bracket mount on size 3-5


Request /Options:

- Hold open arm
- Stainless steel metal cover
- Stainless steel sheet
- Adjustbale delay action


*This option is not covered by the certificate

Finishing:


- Standard Silver colour (aluminum)
- Painted gold, black and white (request)




Standard arm



Parallel bracket



Hold open arm
Non-handed



Metal cover

RDC-A-9882
Surface Mounted
Hydraulic Door Closer
Smart Design




Technical Data:

- Adjustable power size : EN 2-5
- Door width : 1250 mm
- Max opening angle : 180°
- Max door weight : 100 kg

Features:

- Material : Aluminum Alloy coating body
- Handing : Non-handed installation
- Mechanism : Rack & Pinion
- Valves : Thermo-constant valve
- Accessories : Standard arm / Parallel barcket
- Direction : Single action door
- Closing speed : Adjustable
- Latching speed : Adjustable
- Back check : Adjustable




Application & Fixing:


- Standard door mount on pull side
- Transom mount on push side
- Parallel bracket mount on size 3-4

Request /Options:


- Hold open arm
- Stainless steel metal cover
- Stainless steel sheet




Standard arm



Parallel bracket



Hold open arm
 Non-handed




Metal cover

Finishing:

- Standard Silver colour (aluminum)
- Painted gold, black and white (request)

RDC-A-9883

Surface Mounted
Hydraulic Door Closer
Smart Design




Technical Data:

- Adjustable power size : EN 2-4
- Door width : 1100 mm
- Max opening angle : 180°
- Max door weight : 80 kg

Features:

- Material : Aluminum Alloy coating body
- Handing : Non-handed installation
- Mechanism : Rack & Pinion
- Valves : Thermo-constant valve
- Accessories : Standard arm / Parallel barcket
- Direction : Single action door
- Closing speed : Adjustable
- Latching speed : Adjustable
- Back check : Adjustable



Application & Fixing:


- Standard door mount on pull side
- Transom mount on push side
- Parallel bracket mount on size 3-4

Request /Options:


- Hold open arm
- Stainless steel metal cover
- Stainless steel sheet

Finishing:


- Standard Silver colour (aluminum)
- Painted gold, black and white (request)





Standard arm



Parallel bracket



Hold open arm
Non-handed



Metal cover

RDC-A-9887

**Surface Mounted
Hydraulic Door Closer
Smart Design**



Technical Data:

- Selectable position power size : EN 2-4
- Door width : 1100 mm
- Max opening angle : 180°
- Max door weight : 80 kg

Features:

- Material : Aluminum Alloy coating body
- Handing : Non-handed installation
- Mechanism : Rack & Pinion
- Valves : Thermo-constant valve
- Accessories : Standard arm / Parallel barcket
- Direction : Single action door
- Closing speed : Adjustable
- Latching speed : Adjustable
- Back check : Adjustable

Application & Fixing:



- Standard door mount on pull side
- Transom mount on push side
- Parallel bracket mount on size 3

Request /Options:


- Hold open arm
- Stainless steel metal cover
- Stainless steel sheet

Finishing:


- Standard Silver colour (aluminum)
- Painted gold, black and white (request)




Standard arm



Parallel bracket



Hold open arm
Non-handed



Metal cover

RDC-A-9812

Surface Mounted
Hydraulic Door Closer
Slim Design




Technical Data:

- Selectable position power size : En 2 ; En 3 ; En 4
- Door width : 850 mm ; 950 mm ; 1100 mm
- Max opening angle : 120° ; 120° ; 105°
- Max door weight : 85 kg

Features:

- Material : Aluminum Alloy coating body
- Handing : Non-handed installation
- Mechanism : Rack & Pinion
- Accessories : Standard arm / Parallel barcket
- Direction : Single action door
- Closing speed : Adjustable
- Latching speed : Adjustable



Application & Fixing:

- Standard door mount on pull side
- Transom mount on push side
- Parallel bracket mount

Finishing:

- Standard Silver colour (aluminum)
- Painted gold, black and white (request)

RDC-A-9968

**Surface Mounted
Hydraulic Door Closer
Smart Design**



Technical Data:

- Selectable position power size : En 2 ; En 3 ; En 4
- Door width : 870 mm ; 950 mm ; 1100 mm
- Max opening angle : 180° ; 180° ; 160°
- Max door weight : 85 kg

Features:

- Material : Die cast Aluminum housing
- Handing : Non-handed installation
- Mechanism : Rack & Pinion
- Valves : Thermo-constant valve
- Accessories : Standard arm / Parallel bracket
- Direction : Single action door
- Closing speed : Adjustable
- Latching speed : Adjustable

Application & Fixing:



- Standard door mount on pull side
- Transom mount on push side
- Parallel bracket mount on size 2

Request /Options:


- Hold open arm
- Stainless steel metal cover

Finishing:


- Standard Silver colour (aluminum)
- Painted gold, black and white (request)




Standard arm



Parallel bracket




Hold open arm
Non-handed



Metal cover

RDC-A-9903

Surface Mounted
Hydraulic Door Closer
Smart Design




Technical Data:

- Selectable position power size : En 2 ; En 3 ; En 4
- Door width : 870 mm ; 950 mm ; 1100 mm
- Max opening angle : 160° ; 160° ; 145°
- Max door weight : 68 kg

Features:

- Material : Die cast Aluminum housing
- Handing : Non-handed installation
- Mechanism : Rack & Pinion
- Valves : Thermo-constant valve
- Accessories : Standard arm / Parallel barcket
- Direction : Single action door
- Closing speed : Adjustable
- Latching speed : Adjustable




Application & Fixing:

- Standard door mount on pull side
- Transom mount on push side
- Parallel bracket mount on size 2-3

Request /Options:

- Hold open arm




Standard arm

Parallel bracket

Finishing:

- Standard Silver colour (aluminum)
- Painted gold, black and white (request)



Hold open arm
Non-handed

Metal cover

RDC-A-9901

**Surface Mounted
Hydraulic Door Closer
Slim Design**




Technical Data:

- Fixed power size : EN 2
- Door width : 900 mm
- Max opening angle : 120°
- Max door weight : 45 kg


Features:

- Material : Die cast Aluminum housing
- Handing : Non-handed installation
- Mechanism : Rack & Pinion
- Accessories : Standard arm / Parallel barcket
- Direction : Single action door
- Closing speed : Adjustable
- Latching speed : Adjustable



Application & Fixing:

- Standard door mount on pull side
- Transom mount on push side




Finishing:

- Standard Silver colour (aluminum)
- Painted gold, black and white (request)

RDC-B-9693

Surface Mounted
Cam Action Door Closer
Slide Track Arm





Technical Data:

- Selectable position power size : EN 2-5
- Door width : 1250 mm
- Max opening angle : 180°
- Max door weight : 100 kg

Features:


- Material : Aluminum Alloy coating body
- Handing : Non-handed installation
- Mechanism : Cam action
- Valves : Thermo-constant valve
- Accessories : Track arm & rail
- Direction : Single action door
- Closing speed : Adjustable
- Latching speed : Adjustable
- Back check : Adjustable
- Delay action : Adjustable



Track arm & rail


Application & Fixing:

- B type : Door mount pull side & transom mount push side
- G type : Door mount push side & transom mount pull side




B type

G type



Cushion




Hold-open device

Request /Options:

- Hold-open device
- Stainless steel metal cover
- Stainless steel sheet
- Electric control (EHO)
(electromagnetic hold-open application)


Finishing:

- Standard Silver colour (aluminum)
- Painted gold, black and white (request)



Metal cover

RDC-B-9692
Surface Mounted
Cam Action Door Closer
Slide Track Arm




Technical Data:

- Fixed Power size : En 2-4
- Door width : 1100 mm
- Max opening angle : 180°
- Max door weight : 80 kg

Features:

- Material : Aluminum Alloy coating body
- Handing : Non-handed installation
- Mechanism : Cam action
- Valves : Thermo-constant valve
- Accessories : Track arm & rail
- Direction : Single action door
- Closing speed : Adjustable
- Latching speed : Adjustable
- Back check : Adjustable




Track arm & rail



Application & Fixing:

- B type : Door mount pull side & transom mount push side
- G type : Door mount push side & transom mount pull side


B type




G type



Metal cover



Cushion



Hold-open device

Request /Options:

- Hold-open device
- Stainless steel metal cover
- Stainless steel sheet
- Electric control (EHO)
 (electromagnetic hold-open application)

Finishing:



- Standard Silver colour (aluminum)
- Painted gold, black and white (request)



Concealed Door Closer

RDC-C-9396

Concealed Cam Action Door Closer
Slide Track Arm



Technical Data:

- Selectable position power size : EN 2-4
- Door width : 1100 mm
- Max opening angle : 120°
- Max door weight : 80 kg

Features:

- Material : Aluminum Alloy coating body
- Handing : Non-handed installation
- Mechanism : Cam action
- Valves : Thermo-constant valve
- Accessories : Track & rail
- Direction : Single action door
- Closing speed : Adjustable
- Latching speed : Adjustable
- Door with 40mm or above thickness requirements

Application & Fixing:




- Concealed in door
- Concealed in transom

Request /Options:


- Hold-open device
- Electric control (EHO)
(electromagnetic hold-open application)

Finishing:


- Standard Silver colour (aluminum)




Track arm & rail



End cap



Hold-open device



Door Mount

RDC-C-9380-2 / RDC-C-9380-3

Concealed Rack Pinion
Door Closer with Slide Track Arm



Technical Data:

- Fixed Power size : En 2 ; En 3
- Door width : 850 mm ; 950 mm
- Max opening angle : 120°
- Max door weight : 45 kg ; 65 kg

Features:

- Material : Die cast Aluminum housing
- Handing : Non-handed installation
- Mechanism : Rack & Pinion
- Valves : Thermo-constant valve
- Accessories : Track & rail
- Direction : Single action door
- Closing speed : Adjustable
- Latching speed : Adjustable

Application & Fixing:



- Concealed in door
- Concealed in transom

Request /Options:


- Hold-open device

Finishing:

- Standard Silver colour (aluminum)




Track arm & rail



Hold-open device

RDC-C-9360

Concealed Rack Pinion
Door Closer with Slide Track Arm




Technical Data:

- Fixed power size : EN 3
- Door width : 950 mm
- Max opening angle : 105°
- Max door weight : 60 kg

Features:


- Material : Aluminum Alloy coating body
- Handing : Non-handed installation
- Mechanism : Rack & Pinion
- Valves : Thermo-constant valve
- Accessories : Hold open device & track arm & rail
- Direction : Single action door
- Closing speed : Adjustable
- Latching speed : Adjustable




Track arm & rail

Application & Fixing:

- Concealed in door



Cushion



Hold-open device

Finishing:

- Standard Silver colour (aluminum)
- Painted gold, black and white (request)

RDC-C-9320-2 / RDC-C-9320-3

Concealed Rack Pinion
Door Closer with Slide Track Arm





Technical Data:

- Fixed Power size : En 2 ; En 3
- Door width : 850 mm ; 950 mm
- Max opening angle : 120°
- Max door weight : 45 kg ; 65 kg

Features:

- Material : Aluminum Alloy coating body
- Handing : Non-handed installation
- Mechanism : Rack & Pinion
- Valves : Thermo-constant valve
- Accessories : Track arm & rail
- Direction : Single action door
- Closing speed : Adjustable
- Latching speed : Adjustable




Track arm & rail

Application & Fixing:

- Concealed in door
- Concealed in transom

Request /Options:

- Hold-open device
- For Track arm & rail



Hold-open device

Finishing:

- Standard Silver colour (aluminum)





Door Selector

RDC-B-02
Door Selector
Stainless Steel



RDC-B-03
Door Selector
Stainless Steel




Feature and Data:

- Application : Surface mounted
- Material : Stainless Steel
- Finish : Satin Stainless Steel, Polished Surface

Feature and Data:

- Application : Surface mounted
- Material : Stainless Steel
- Finish : Satin Stainless Steel, Polished Surface

RDC-B-01
Door Selector
Stainless Steel



Feature and Data:

- Application : Surface mounted
- Material : Stainless Steel
- Finish : Satin Stainless Steel



Door Fitting




RDF-A-001-A

Barrel Bolt
Stainless Steel



RDF-A-001-B

Barrel Bolt
Stainless Steel



Feature and Data:

- Size : 50×45 mm
- Application : Wooden door
- Material : Stainless Steel
- Finish : Satin Stainless Steel
- Shoot : 14 mm

Feature and Data:

- Size : 65×45 mm
- Application : Wooden door
- Material : Stainless Steel
- Finish : Satin Stainless Steel
- Shoot : 14 mm



RDF-A-001-C

**Barrel Bolt
Stainless Steel**



RDF-A-002

**Round Door Stopper
Stainless Steel**



Feature and Data:


- Size : 120×45 mm
- Application : Wooden door
- Material : Stainless Steel
- Finish : Satin Stainless Steel, Polished Surface
- Shoot : 10 mm Dia.

Feature and Data:

- Size : 46×46 mm
- Application : Floor Mounted
- Material : Stainless Steel and Rubber
- Bumper : Replaceable rubber, Black
- Locator Pin : Yes
- Finish : Satin Stainless Steel






RDF-A-003

Mounted Door Stopper
Zinc Alloy and Stainless Steel



RDF-A-004-70

Ball Catch
Stainless Steel



Feature and Data:


- Size : 35×40 mm
- Application : Floor Mounted
- Material : Stainless Steel and Rubber
- Bumper : Replaceable rubber, Black
- Finish : Satin Stainless Steel

Feature and Data:

- Size : 70×18 mm
- Application : Sliding Door / Invisible Door
- Material : Stainless Steel
- Finish : Satin Stainless Steel

RDF-A-004-42

Ball Catch
Stainless Steel




Feature and Data:

- Size : 50×13 mm
- Application : Sliding Door / Invisible Door
- Material : Stainless Steel
- Finish : Satin Stainless Steel

RDF-A-005

Magnet Door Stopper
Stainless Steel



Feature and Data:



- Size : 51×78 mm
- Application : Wall / Floor Mounted
- Material : Stainless Steel
- Finish : Satin Stainless Steel

RDF-A-006-6

Flush Bolt
Stainless Steel #304

RDF-A-006-8

Flush Bolt
Stainless Steel #304



Feature and Data:


- Application : Top & Bottom Bolt for Security
- Material : Stainless Steel #304
- Length : 150 mm
- Bolt : 10 mm Dia.
- Finish : Satin Stainless Steel, Polished Surface

Feature and Data:

- Application : Top & Bottom Bolt for Security
- Material : Stainless Steel #304
- Length : 200 mm
- Bolt : 10 mm Dia.
- Finish : Satin Stainless Steel, Polished Surface


RDF-A-006-10

**Flush Bolt
Stainless Steel #304**



RDF-A-006-12

**Flush Bolt
Stainless Steel #304**



Feature and Data:

- Application : Top & Bottom Bolt for Security
- Material : Stainless Steel #304
- Length : 250 mm
- Bolt : 10 mm Dia.
- Finish : Satin Stainless Steel, Polished Surface

Feature and Data:

- Application : Top & Bottom Bolt for Security
- Material : Stainless Steel #304
- Length : 300 mm
- Bolt : 10 mm Dia.
- Finish : Satin Stainless Steel, Polished Surface



RDF-A-007-6

Flush Bolt
Stainless Steel



RDF-A-007-8

Flush Bolt
Stainless Steel



Feature and Data:


- Application : Top & Bottom Bolt for Security
- Material : Stainless Steel
- Length : 150 mm
- Bolt : 10 mm Dia.
- Color : Sliver / Black
- Finish : Satin Stainless Steel, Polished Surface

Feature and Data:

- Application : Top & Bottom Bolt for Security
- Material : Stainless Steel
- Length : 200 mm
- Bolt : 10 mm Dia.
- Color : Sliver / Black
- Finish : Satin Stainless Steel, Polished Surface, Black


RDF-A-007-10

**Flush Bolt
Stainless Steel**



RDF-A-007-12

**Flush Bolt
Stainless Steel**



Feature and Data:


- Application : Top & Bottom Bolt for Security
- Material : Stainless Steel
- Length : 250 mm
- Bolt : 10 mm Dia.
- Color : Sliver / Black
- Finish : Satin Stainless Steel, Polished Surface

Feature and Data:

- Application : Top & Bottom Bolt for Security
- Material : Stainless Steel
- Length : 300 mm
- Bolt : 10 mm Dia.
- Color : Sliver / Black
- Finish : Satin Stainless Steel, Polished Surface



RDF-A-009

Storage Security Bolt
Stainless Steel #304



RDF-A-010-140

Mounted Door Stopper
Stainless Steel



Feature and Data:


- Size : 20×13.7 mm
- Application : Wooden door
- Material : Stainless Steel #304
- Finish : Satin Stainless Steel

Feature and Data:

- Size : 140×47 mm
- Application : Door Mounted
- Material : Stainless Steel #304 and Rubber
- Bumper : Replaceable rubber, Black
- Finish : Satin Stainless Steel

RDF-A-010-200

Mounted Door Stopper
Stainless Steel




Feature and Data:

- Size : 225×47 mm
- Application : Door Mounted
- Material : Stainless Steel and Rubber
- Bumper : Replaceable rubber, Black
- Finish : Satin Stainless Steel

RDF-A-010-225

Mounted Door Stopper
Stainless Steel



Feature and Data:





- Size : 225×47 mm
- Application : Door Mounted
- Material : Stainless Steel and Rubber
- Bumper : Replaceable rubber, Black
- Finish : Satin Stainless Steel

RDF-A-011-140

Mounted Door Stopper
Stainless Steel

RDF-A-011-260

Mounted Door Stopper
Stainless Steel



Feature and Data:

- Size : 140×30 mm
- Application : Door Mounted
- Material : Stainless Steel and Rubber
- Bumper : Replaceable rubber, Black
- Finish : Satin Stainless Steel

Feature and Data:

- Size : 260×30 mm
- Application : Door Mounted
- Material : Stainless Steel and Rubber
- Bumper : Replaceable rubber, Black
- Finish : Satin Stainless Steel




RDF-A-012

**Door Guard
Stainless Steel**



RDF-A-012A

**Door Guard
Stainless Steel**



Feature and Data:



- Size : 108×64 mm
- Application : Entrance, Security & Backyard doors
- Installation : Wall Mounted
- Material : Stainless Steel
- Finish : Satin Stainless Steel

Feature and Data:

- Size : 133×67.5 mm
- Application : Entrance, Security & Backyard doors
- Installation : Wall Mounted
- Material : Stainless Steel and Rubber
- Finish : Satin Stainless Steel



RDF-A-012B

Door Guard
Stainless Steel



RDF-A-013-S/S

Concealed Door Guard
Stainless Steel



Feature and Data:


- Size : 134×72 mm
- Application : Entrance, Security & Backyard doors
- Installation : Wall Mounted
- Material : Stainless Steel and Rubber
- Finish : Satin Stainless Steel

Feature and Data:

- Size : 50×43 mm
- Application : Door Security
- Installation : Mortised Concealed Fixing
- Material : Stainless Steel
- Chain Length : 75 mm
- Handling : Non Handed
- Door Type : Open-In Swing Doors
- Exterior : Hidden or Nothing is Visible
- Finish : Black, Satin Stainless Steel, PVD
-

RDF-A-013-A

Concealed Door Guard
Zinc Alloy




Feature and Data:

- Size : 50×43 mm
- Application : Door Security
- Installation : Mortised Concealed Fixing
- Material : Alloy
- Chain Length : 75 mm
- Handling : Non Handed
- Door Type : Open-In Swing Doors
- Exterior : Hidden or Nothing is Visible
- Finish : Black, Chrome, PVD

RDF-A-014

Emergency Release Door Stop
Stainless Steel



Feature and Data:

- Size : 95×42 mm
- Application : Double action pivot sets
- Material : Stainless Steel #304
- Finish : Satin Stainless Steel




RDF-A-015 / 015A

Dust Proof Socket
Stainless Steel



RDF-A-016

Door Bolt Solid S/S
Stainless Steel



Feature and Data:


- Size : 25×39 mm
- Application : Floor Mounted
- Material : Stainless Steel
- Finish : Satin Stainless Steel

Feature and Data:

- Size : 99×30 mm
- Application : Wooden door
- Material : Stainless Steel #304
- Finish : Satin Stainless Steel, Polished Surface
- Shoot : 13 mm Dia.

RDF-A-017

**Door Bolt Solid
Stainless Steel**




Feature and Data:

- Size : 50×80 mm
- Application: Wall Mounted
- Material : Stainless Steel and Rubber
- Bumper : Replaceable rubber, Black
- Finish : Satin Stainless Steel

RDF-A-018

**Door Stopper
Zinc Alloy**




Feature and Data:

- Size : 32×75 mm
- Application: Wall Mounted
- Material : Stainless Steel and Rubber
- Bumper : Replaceable rubber, Black
- Finish : Chrome



RDF-A-020

**Door Stopper
Stainless Steel**



RDF-A-021

**Door Stopper with Hook
Stainless Steel**



Feature and Data:


- Size : 46×96 mm
- Application: Wall Mounted
- Material : Stainless Steel and Rubber
- Bumper : Replaceable rubber, Black
- Finish : Satin Stainless Steel

Feature and Data:

- Size : 46×96 mm
- Application: Wall Mounted
- Material : Stainless Steel and Rubber
- Bumper : Replaceable rubber, Black
- Finish : Satin Stainless Steel

RDF-A-022

**Ball Catch
Stainless Steel**




Feature and Data:

- Size : 20×89 mm
- Application : Sliding door & Flush door
- Material : Stainless Steel
- Finish : Satin Stainless Steel

RDF-A-023

**Ball Catch
Stainless Steel**



Feature and Data:





- Size : 25.5×54 mm
- Application : Sliding door & Flush door
- Material : Stainless Steel
- Finish : Satin Stainless Steel, Polished Surface

RDF-A-025-A

Push Knob
Zinc Alloy

RDF-A-025-B

Push Knob
Stainless Steel



Feature and Data:


- Size : 34×34 mm
- Application : Sliding door & Flush door
- Material : Zinc Alloy
- Finish : Chrome

Feature and Data:

- Size : 34×34 mm
- Application : Sliding door & Flush door
- Material : Stainless Steel
- Finish : Satin Stainless Steel

RDF-A-026

**Door Stopper
Stainless Steel**




Feature and Data:

- Size : 39×34 mm
- Application : Floor Mounted
- Material : Stainless Steel and Rubber
- Bumper : Replaceable rubber, Black
- Locator Pin : Yes
- Finish : Satin Stainless Steel

RDF-A-027

**Door Stopper
Stainless Steel**




Feature and Data:

- Size : 46×25 mm
- Application : Floor Mounted
- Material : Stainless Steel and Rubber
- Bumper : Replaceable rubber, Black
- Locator Pin : Yes
- Finish : Satin Stainless Steel


RDF-A-028-A / B / C

Rubber Door Stopper



RDF-A-029

Door Stopper
Stainless Steel



Feature and Data:

- Application : Wall / Floor Mounted
- Material : Rubber
- Bumper : Rubber
- Locator Pin : Yes, Twin screw
- Finish : Black Rubber

Feature and Data:

- Size : 50×82 mm
- Application : Wall Mounted
- Material : Stainless Steel and Rubber
- Bumper : Replaceable rubber, Black
- Finish : Satin Stainless Steel

RDF-A-DS1002

Door Stopper
Stainless Steel and Rubber




Feature and Data:

- Size : 220×62 mm
- Application : Floor Mounted
- Material : Stainless Steel and Rubber
- Bumper : Replaceable rubber, Black
- Locator Pin : Yes
- Finish : Stainless Stainless Stain

RDF-A-031

Door Stopper
Zinc Alloy





Feature and Data:

- Size : 40×32 mm
- Application : Floor Mounted
- Material : Zinc Alloy and Rubber
- Bumper : Replaceable rubber, Black
- Locator Pin : Yes
- Finish : Chrome


RDF-A-030

**Barrel Bolt with Color Indicator
Stainless Steel**



RDF-A-032

**Strong Magnetic
Steel**



Feature and Data:


- Size : 43×50 mm
- Application : Sliding Door
- Material : Stainless Steel #304
- Finish : Satin Stainless Steel

Feature and Data:

- Size : 16×40 mm
- Application : -
- Material : Steel
- Color : Sliver
- Finish : Chrome

RDF-A-032-38

Flush Ring Pull
Stainless Steel




Feature and Data:

- Size : 38×48 mm
- Application : Sliding door & Flush door
- Material : Stainless Steel
- Finish : Satin Stainless Steel

RDF-A-032-44

Flush Ring Pull
Stainless Steel




Feature and Data:

- Size : 44×62 mm
- Application : Sliding door & Flush door
- Material : Stainless Steel
- Finish : Satin Stainless Steel


RDF-A-033

Mounted Door Stopper
Zinc Alloy and Stainless Steel



RDF-A-034

Mounted Door Stopper
Stainless Steel



Feature and Data:


- Size : 36×40 mm
- Application : Floor Mounted
- Material : Stainless Steel and Rubber
- Bumper : Replaceable rubber, Black
- Finish : Satin Stainless Steel

Feature and Data:

- Size : 35×20 mm
- Application : Floor Mounted
- Material : Stainless Steel and Rubber
- Bumper : Replaceable rubber, Black
- Finish : Satin Stainless Steel

RDF-A-045

Sliding Door Edge Pull
Stainless Steel




Feature and Data:

- Size : 22.5×100 mm
- Application : Sliding door & Flush door
- Material : Stainless Steel
- Finish : Satin Stainless Steel, Polished Surface

RDF-A-046

Sliding Door Edge Pull
Stainless Steel



Feature and Data:

- Size : 22.5×100 mm
- Application : Sliding door & Flush door
- Material : Stainless Steel
- Finish : Satin Stainless Steel, Polished Surface



Door Viewer



RDF-V-001

**Glass Door Viewer 200°
Brass**



RDF-V-002

**Glass Door Viewer 200°
Steel**



Feature and Data:

- Size : 46×30 mm
- Application : Wooden entrance door
- Material : Brass body, Glass lens
- Door thickness : 35-55 mm
- Finish : Chrome Plated
- Viewing Angle : 200 Degree

Feature and Data:

- Size : 46×30 mm
- Application : Wooden entrance door
- Material : Steel body, Glass lens
- Door thickness : 35-55 mm
- Finish : Chrome Plated
- Viewing Angle : 200 Degree


RDF-V-055

Electronic Door Viewer 5.5"



Technical Data:

- Screen size : 5.5 inches
- Body Casing Material : ABS
- External Pixel Camera : 1080P
- Screen resolution : 1280×720
- Viewing angle : 170 Degree
- IR-CUT filter : Yes
- Motion Detection : Yes
- Format video : MP4
- Local memory : 8 GB
- Support for Micro-SD cards up to 128 GB
- Battery Capacity : 8000 mAh lithium battery
- Capacitive Touch Screen
- 1/2.7" Ultra-Low Power Digital Sensor



Features:

- Wide display
- 170 degrees wide angle view
- Infrared night vision
- Motion detection
- Anti-Peeping
- Get instant alert
- Talk to visitor from anywhere
- Built-in Speaker Microphone for 2 Way Communication
- Free cloud storage (15 days)




RDF-A-070

Electronic Door Viewer 7"



Technical Data:

- Screen size : 7 inches
- Body Casing Material : ABS
- External Pixel Camera : 1080P
- Internal Indoor : 3 Mega pixel
- Screen resolution : 1280×720
- Viewing angle : 170 Degree
- IR-CUT filter : Yes
- Motion Detection : Yes
- Format video : MP4
- Local memory : 8 GB
- Support for Micro-SD cards up to 128 GB
- Battery Capacity : 10000 mAh lithium battery
- Capacitive Touch Screen
- 1/2.7" Ultra-Low Power Digital Sensor



Features:

- Wide display
- 170 degrees wide angle view
- Infrared night vision
- Dual camera
- Motion detection
- Anti-Peeping
- Get instant alert
- Talk to visitor from anywhere
- Free cloud storage
- Built-in Speaker Microphone for 2 Way Communication
- 2 way Intercom Live Video





RDF-QR-39

Electronic Door Viewer 4.3"



Technical Data:

- Screen size : 4.3 inches
- Body Casing Material : ABS
- External Pixel Camera : 1080P
- Screen resolution : 480 x 320
- Viewing angle : 160 Degree
- IR-LED : Yes
- Motion Detection : Yes
- Format video : MP4
- Support for Micro-SD cards up to 128 GB
- Battery Capacity : 5000 mAh lithium battery




Features:

- Wide display
- 160 degrees wide angle view
- Infrared night vision
- Motion detection
- Anti-Peeping
- Get instant alert
- Talk to visitor from anywhere
- Built-in Speaker Microphone for 2 Way Communication

RDF-DDV-205

Smart Door bell



Technical Data:

- Size : 145 x 55 x 33mm
- Body Casing Material : ABS
- External Pixel Camera : 1080P
- Viewing angle : 166 Degree
- IR-CUT filter : Yes
- Motion Detection : Yes
- Format video : MP4
- Support for Micro-SD cards up to 128 GB
- battery Capacity : 5000 mAh lithium battery (18650 x 2)

Features:


- Wide angle 166 degree
- Infrared night vision
- PIR Motion detection
- Anti-Peeping
- Get instant alert
- Talk to visitor from anywhere
- Built-in Speaker Microphone for 2 Way Communication








Butt Hinge

RBH-B-3043-2
SS Hinge and Bearing
SUS #304



RBH-B-3043-4
SS Hinge and Bearing
SUS #304



Feature and Data:

- Size in inch (Height × Width) : 4"×3"
- Size in mm (Height × Width) : 102×76
- Thickness in mm : 3
- Material : Stainless Steel #304
- Ball bearing : 2BB
- Knuckle Ø : 14mm
- Finish : Satin / Polish
- Standard Door : -
- Fire and smoke check doors : -
- Non-handed : -




Feature and Data:

- Size in inch (Height × Width) : 4"×3"
- Size in mm (Height × Width) : 102×76
- Thickness in mm : 3
- Material : Stainless Steel #304
- Ball bearing : 4BB
- Knuckle Ø : 14mm
- Finish : Satin / Polish
- Standard Door : -
- Fire and smoke check doors : -
- Non-handed : -

RBH-B-3044-2
SS Hinge and Bearing
SUS #304



RBH-B-3044-4
SS Hinge and Bearing
SUS #304



Feature and Data:

- Size in inch (Height × Width) : 4"×4"
- Size in mm (Height × Width) : 102×102
- Thickness in mm : 3
- Material : Stainless Steel #304
- Ball bearing : 2BB
- Knuckle Ø : 14mm
- Finish : Satin / Polish
- Standard Door : -
- Fire and smoke check doors : -
- Non-handed : -



Feature and Data:

- Size in inch (Height × Width) : 4"×4"
- Size in mm (Height × Width) : 102×102
- Thickness in mm : 3
- Material : Stainless Steel #304
- Ball bearing : 4BB
- Knuckle Ø : 14mm
- Finish : Satin / Polish
- Standard Door : -
- Fire and smoke check doors : -
- Non-handed : -

RBH-B-3054-2
SS Hinge and Bearing
SUS #304



RBH-B-3054-4
SS Hinge and Bearing
SUS #304



Feature and Data:

- Size in inch (Height × Width) : 5"×4"
- Size in mm (Height × Width) : 127×102
- Thickness in mm : 3
- Material : Stainless Steel #304
- Ball bearing : 2BB
- Knuckle Ø : 15mm
- Finish : Satin / Polish
- Standard Door : -
- Fire and smoke check doors : -
- Non-handed : -



Feature and Data:

- Size in inch (Height × Width) : 5"×4"
- Size in mm (Height × Width) : 127×102
- Thickness in mm : 3
- Material : Stainless Steel #304
- Ball bearing : 4BB
- Knuckle Ø : 15mm
- Finish : Satin / Polish
- Standard Door : -
- Fire and smoke check doors : -
- Non-handed : -

RBH-B-304545-2
SS Hinge and Bearing
SUS #304



RBH-B-304545-4
SS Hinge and Bearing
SUS #304



Feature and Data:


- Size in inch (Height × Width) : 4-1/2"×4-1/2"
- Size in mm (Height × Width) : 114×114
- Thickness in mm : 3.5
- Material : Stainless Steel #304
- Ball bearing : 2BB
- Knuckle Ø : 15mm
- Finish : Satin / Polish
- Standard Door : -
- Fire and smoke check doors : -
- Non-handed : -

Feature and Data:

- Size in inch (Height × Width) : 4-1/2"×4-1/2"
- Size in mm (Height × Width) : 114×114
- Thickness in mm : 3
- Material : Stainless Steel #304
- Ball bearing : 4BB
- Knuckle Ø : 15mm
- Finish : Satin / Polish
- Standard Door : -
- Fire and smoke check doors : -
- Non-handed : -




RBH-B-354540-2

SS Hinge and Bearing
SUS #304



RBH-B-304540-2

SS Hinge and Bearing
SUS #304



Feature and Data:

- Size in inch (Height × Width) : 4-½"×4"
- Size in mm (Height × Width) : 114×102
- Thickness in mm : 3.5
- Material : Stainless Steel #304
- Ball bearing : 2BB
- Knuckle Ø : 15mm
- Finish : Satin / Polish
- Standard Door : -
- Fire and smoke check doors : -
- Non-handed : -



Feature and Data:

- Size in inch (Height × Width) : 4-½"×4"
- Size in mm (Height × Width) : 114×102
- Thickness in mm : 3
- Material : Stainless Steel #304
- Ball bearing : 2BB
- Knuckle Ø : 14mm
- Finish : Satin / Polish
- Standard Door : -
- Fire and smoke check doors : -
- Non-handed : -

RBH-B-2543-2
SS Hinge and Bearing
SUS #304



RBH-RH-3043
Rising Hinge
Right Hand
SUS #304



Feature and Data:


- Size in inch (Height × Width) : 4"×3"
- Size in mm (Height × Width) : 102×76
- Thickness in mm : 2.5
- Material : Stainless Steel #304
- Ball bearing : 2BB
- Knuckle Ø : 12mm
- Finish : Satin / Polish
- Standard Door : -
- Fire and smoke check doors : -
- Non-handed : -

Feature and Data:

- Size in inch (Height × Width) : 4"×3"
- Size in mm (Height × Width) : 102×76
- Thickness in mm : 2.5
- Material : Stainless Steel #304
- Available : Right hand
- Knuckle Ø : 12mm
- Finish : Satin / Polish
- Standard Door : -
- Fire and smoke check doors : -
- Non-handed : -




RBH-SH-3043

Spring Hinge
SUS #304



RBH-SH-3044

Spring Hinge
SUS #304



Feature and Data:

- Size in inch (Height × Width) : 4"×3"
- Size in mm (Height × Width) : 102×76
- Thickness in mm : 3
- Material : Stainless Steel #304
- Knuckle Ø : 19mm
- Finish : Satin / Polish
- Standard Door : -
- Fire and smoke check doors : -
- Non-handed : -

Feature and Data:

- Size in inch (Height × Width) : 4"×4"
- Size in mm (Height × Width) : 102×102
- Thickness in mm : 3
- Material : Stainless Steel #304
- Knuckle Ø : 19mm
- Finish : Satin / Polish
- Standard Door : -
- Fire and smoke check doors : -
- Non-handed : -



Concealed - Door Hinge

AGB ECLIPSE 3.1

For Internal Doors





MADE IN ITALY



Feature and Data:

- Height : 115mm
- Width : 34 mm
- Application : Wooden Door , Aluminum Door
- Material : Zamak
- Door thickness : 38-40 mm
- Capacity : 40kg with 2 hinges, 60 kg with 3 hinges
- Finishes : Nickel plated PVD



AGB ECLIPSE 3.3
For Internal Doors





MADE IN ITALY



75

Feature and Data:

- Height : 115mm
- Width : 34 mm
- Application : Wooden Door , Aluminum Door
- Material : Zamak
- Door thickness : 38-40 mm
- Capacity : 40kg with 2 hinges, 60 kg with 3 hinges
- Finishes : Nickel plated PVD




AGB ECLIPSE 4.4

For Internal Doors





MADE IN ITALY




Feature and Data:





- Height : 154mm
- Width : 34 mm
- Application : Wooden Door , Aluminum Door
- Material : Zamak
- Door thickness : 38-40 mm
- Capacity : 80kg with 2 hinges
- Finishes : Nickel plated PVD



RDH-A-001
Stainless Steel #304



RDH-A-002
Stainless Steel #304



Feature and Data:





- Height : 140 mm
- Width : 34 mm
- Application : Concealed fire Rated
- Material : Stainless Steel #304
- Door thickness : 50 mm
- Door handing : Non-handed (reversible)
- Links : Yes (four sleeve bearing)
- Finish : Satin
- Loading : Max. 50 kg / pcs

Feature and Data:

- Height : 118 mm
- Width : 28 mm
- Application : Concealed fire Rated
- Material : Stainless Steel #304
- Door thickness : 40 mm
- Door handing : Non-handed (reversible)
- Links : Yes (four sleeve bearing)
- Finish : Satin
- Loading : Max. 40 kg / pcs

RDH-A-003
Stainless Steel #304

RDH-A-004
Zinc Alloy



Feature and Data:

- Height : 118 mm
- Width : 25 mm
- Application : Concealed fire Rated
- Material : Stainless Steel #304
- Door thickness : 35 mm
- Door handing : Non-handed (reversible)
- Links : Yes (four sleeve bearing)
- Finish : Satin
- Loading : Max. 30 kg / pcs

Feature and Data:

- Height : 95 mm
- Width : 19 mm
- Application : Concealed fire Rated
- Material : Zinc Alloy
- Door thickness : 30 mm
- Door handing : Non-handed (reversible)
- Links : Yes (four sleeve bearing)
- Finish : Chrome
- Loading : Max. 25 kg / pcs





RDH-A-005

Zinc Alloy



RDH-A-006

Zinc Alloy



Feature and Data:


- Height : 70 mm
- Width : 16 mm
- Application : Concealed fire Rated
- Material : Zinc Alloy
- Door thickness : 25 mm
- Door handing : Non-handed (reversible)
- Links : Yes (four sleeve bearing)
- Finish : Chrome
- Loading : Max. 15 kg / pcs

Feature and Data:

- Height : 60 mm
- Width : 13 mm
- Application : Concealed fire Rated
- Material : Zinc Alloy
- Door thickness : 20 mm
- Door handing : Non-handed (reversible)
- Links : Yes (four sleeve bearing)
- Finish : Chrome
- Loading : Max. 10 kg / pcs

RDH-A-007

Zinc Alloy





Feature and Data:

- Height : 45 mm
- Width : 13 mm
- Application : Concealed fire Rated
- Material : Zinc Alloy
- Door thickness : 20 mm
- Door handing : Non-handed (reversible)
- Links : Yes (four sleeve bearing)
- Finish : Chrome
- Loading : Max. 5 kg / pcs




Lever Handle

RHH-A-002
Stainless Steel



RHH-A-003
Stainless Steel





Feature and Data:

- Size : 135×60 mm
- Application : Commercial Door & Residential Door
- Material : Stainless Steel
- Finish : Satin Stainless Steel

Feature and Data:

- Size : 135×60 mm
- Application : Commercial Door & Residential Door
- Material : Stainless Steel
- Finish : Satin Stainless Steel

RHH-A-005
Stainless Steel





Feature and Data:

- Size : 135×60 mm
- Application : Commercial Door & Residential Door
- Material : Stainless Steel
- Finish : Satin Stainless Steel

RHH-A-027-85

Stainless Steel



Feature and Data:

- Size : 65×330 mm
- Application : Commercial Door & Residential Door
- Material : Stainless Steel
- Finish : Satin Stainless Steel


RHH-A-008-85

Stainless Steel





Feature and Data:

- Size : 65×330 mm
- Application : Commercial Door & Residential Door
- Material : Stainless Steel
- Finish : Satin Stainless Steel



RHH-A-008-72

Stainless Steel



Feature and Data:

- Size : 60×300 mm
- Application : Commercial Door & Residential Door
- Material : Stainless Steel
- Finish : Satin Stainless Steel



Door Handle

AGB Wave Passage


Minimal Handle
For sliding doors

MADE IN ITALY



Feature and Data:

- Size : 131.5×69 mm
- Application : Commercial Door & Residential Door
- Color : Black , White , Anodised Silver , Satin Chromium Plated



AGB Wave Privacy

Minimal Handle
For sliding doors


MADE IN ITALY



93

Feature and Data:

- Size : 65×330 mm
- Application : Commercial Door & Residential Door
- Color : Black , White , Anodised Silver , Satin Chromium Plated





RHH-B-019205

Stainless Steel #304



RHH-B-019305

Stainless Steel #304



Feature and Data:

- Size : 57×205 mm
- Application : Commercial Door & Residential Door
- Material : Stainless Steel #304
- Finish : Satin Stainless Steel

Feature and Data:



- Size : 57×305 mm
- Application : Commercial Door & Residential Door
- Material : Stainless Steel #304
- Finish : Satin Stainless Steel

RHH-B-019150C / 205C / 305C

Stainless Steel

RHH-B-019205 / 305

Stainless Steel



Feature and Data:


- Application : Commercial Door & Residential Door
- Material : Stainless Steel
- Finish : Satin Stainless Steel

Feature and Data:

- Application : Commercial Door & Residential Door
- Material : Stainless Steel
- Finish : Satin Stainless Steel

RHH-B-025425

Stainless Steel #304




Feature and Data:

- Size : 83×425 mm
- Application : Commercial Door & Residential Door
- Material : Stainless Steel #304
- Finish : Satin Stainless Steel

RHH-B-025H

Stainless Steel




Feature and Data:

- Size : 70×400 mm
- Application : Commercial Door & Residential Door
- Material : Stainless Steel
- Finish : Satin Stainless Steel

RHH-B-032H

Stainless Steel



Feature and Data:

- Size : 80×1200 mm
- Application : Commercial Door & Residential Door
- Material : Stainless Steel
- Finish : Satin Stainless Steel

PULL



Pull Handle

RHH-C-100300-1

Stainless Steel

RHH-C-100300-2

Stainless Steel



Feature and Data:

- Size : 100×300 mm
- Application : Commercial Door & Residential Door
- Material : Stainless Steel
- Finish : Satin Stainless Steel

Feature and Data:



- Size : 100×300 mm
- Application : Commercial Door & Residential Door
- Material : Stainless Steel
- Finish : Satin Stainless Steel



RHH-C-100300-3
Stainless Steel



RHH-C-080300-1
Stainless Steel



Feature and Data:


- Size : 100×300 mm
- Application : Commercial Door & Residential Door
- Material : Stainless Steel
- Finish : Satin Stainless Steel

Feature and Data:

- Size : 80×300 mm
- Application : Commercial Door & Residential Door
- Material : Stainless Steel
- Finish : Satin Stainless Steel


RHH-C-080300-2

Stainless Steel



RHH-C-080300-3

Stainless Steel



Feature and Data:


- Size : 80×300 mm
- Application : Commercial Door & Residential Door
- Material : Stainless Steel
- Finish : Satin Stainless Steel

Feature and Data:

- Size : 80×300 mm
- Application : Commercial Door & Residential Door
- Material : Stainless Steel
- Finish : Satin Stainless Steel



RHH-C-01745

**Thumb Turn
Stainless Steel**



RHH-C-10251

**Furniture Handle
Stainless Steel**



Feature and Data:


- Size : 76×38 mm
- Application : Commercial Door & Residential Door
- Material : Stainless Steel
- Finish : Satin Stainless Steel

Feature and Data:

- Size : 102×51 mm
- Application : Commercial Door & Residential Door
- Material : Stainless Steel
- Finish : Polished Surface


RHH-C-10252

Furniture Handle
Stainless Steel



RHH-C-10253

Furniture Handle
Stainless Steel




Feature and Data:

- Size : 112×75 mm
- Application : Commercial Door & Residential Door
- Material : Stainless Steel
- Finish : Satin Stainless Steel

Feature and Data:

- Size : 128×82 mm
- Application : Commercial Door & Residential Door
- Material : Stainless Steel
- Finish : Satin Stainless Steel

RTS-U-001/RTS-D-001
Up / Down Indication for Staircase



- Application : Staircase
- Material : Stainless Steel



RAPID



Sliding Door Roller




Soft Closing
Smart Design

MADE IN ITALY



108




Technical Data:

- Weight : Max 120 KG
- Max door weight : 120 kg
- Application Door : Wooden Door
- Rail Size : 30 x 32 mm

SISCO **SISTEM** **Hidden 1800**

Invisible Sliding System
Smart Design

MADE IN ITALY




Technical Data:

- Weight : Max 80 KG
- Max door weight : 80 kg
- Door thickness : 40 mm
- Application Door : Wooden Door

RDS-ST7005

Hanging Rail





110

Technical Data:

- Weight : Max 80 KG
- Max door weight : 80 kg
- Application Door : Wooden Door
- Soft Closing System

RDS-ST7105
Hanging Rail



Technical Data:

- Weight : Max 120 KG
- Max door weight : 120 kg
- Application Door : Wooden Door
- Soft Closing System







Cylinder

RDL-ML75411/412/42/43/44/45/46

Cylinder Lock With Thumbturn
Yale KEY





114

Technical Data:

- Size : 70 / 71 / 76 / 80 / 90 / 100 mm
- Door thickness : 70 mm

RDL-ML7522/23B/24/ML7531
 Cylinder Lock With Thumbturn
 Dimple Key



Technical Data:

- Solid Brass Cylinder
- Size : 70 / 71 / 76 / 80 / 90 / 100 mm
- Door thickness : 70 mm



Cylinder Accessories



RLC-C-001

Cylinder Pull
Stainless Steel #304



RLC-C-002

Cylinder Pull
Stainless Steel #304



Feature and Data:

- Application : For circular shape cylinder
- Material : Stainless Steel #304
- Finish : Satin Stainless Steel
- Hole Diameter : 30 mm
- Pull Height : 27 mm

Feature and Data:


- Application : For Euro-profile cylinder
- Material : Stainless Steel #304
- Finish : Satin Stainless Steel
- Pull Height : 27 mm



Mortise Lock

RDL-M-6072-S

Sash Lock




Feature and Data:

- Size : 90×235 mm
- Material : Zinc Plated lock case, Stainless Steel 304 latch and bolt
- Double throw : 20 mm
- Bolt projection
- 8 mm square steel follower in steel
- Hole for standard fixings
- Non-handed

RDL-M-6085-S

Sash Lock




Feature and Data:

- Size : 90×235 mm
- Material : Zinc Plated lock case, Stainless Steel 304 latch and bolt
- Double throw : 20 mm
- Bolt projection
- 8 mm square steel follower in steel
- Hole for standard fixings
- Non-handed

RDL-M-6078-B

Bathroom Lock




Feature and Data:

- Size : 90×235 mm
- Material : Zinc Plated lock case, Stainless Steel 304 latch and bolt
- Double throw : 20 mm
- Bolt projection
- 8 mm square steel follower in steel
- Hole for standard fixings
- Non-handed

RDL-M-6072-L

Latch Bolt Fire Rated Lock




Feature and Data:

- Size : 90×235 mm
- Material : Zinc Plated lock case, Stainless Steel 304 latch and bolt
- 8 mm square steel follower in steel
- Hole for standard fixings
- Non-handed

RDL-M-6072-D

Dead Bolt Lock




Feature and Data:

- Size : 90×235 mm
- Material : Zinc Plated lock case, Stainless Steel 304 latch and bolt
- Double throw : 20 mm
- Bolt projection
- 8 mm square steel follower in steel
- Hole for standard fixings
- Non-handed

RDL-M-6072-N

Night Latch Lock




Feature and Data:

- Size : 90×235 mm
- Material : Zinc Plated lock case, Stainless Steel 304 latch and bolt
- 8 mm square steel follower in steel
- Hole for standard fixings
- Non-handed

RDL-M-6072-C

Classroom Lock




128

Feature and Data:

- Size : 90×235 mm
- Material : Zinc Plated lock case, Stainless Steel 304 latch and bolt
- 8 mm square steel follower in steel
- Hole for standard fixings
- Non-handed

RDL-M-55-D

Dead Bolt Fire Rated Lock




Feature and Data:

- Size : 84×138 mm
- Material : Stainless Steel 304
- Non-handed

RDL-M-55-L

Latch Bolt Fire Rated Lock





130

Feature and Data:

- Size : 84×138 mm
- Material : Stainless Steel 304
- Non-handed

RDL-B-583

Rim Night Lock With Thumbturn



Technical Data:

- Size : 93×74 mm
- Door thickness : 45-70 mm
- Spin knob
- Bronze lock
- 3 Bronze keys

Finishing:

- Material : -

RDL-C022


Aluminum Door Lock
Made in Taiwan



132

Feature and Data:

- Size : 160 x 40 mm x 20 mm
- Backset : 20mm
- Dead Lock
- Gross Key
- 3 keys



RDL-C021


Aluminum Door Lock
Sliding Door
Made in Taiwan



133

Feature and Data:

- Size : 160 x 40 mm x 20 mm
- Backset : 20mm
- Dead Lock
- Gross Key
- 3 keys



RDL-366


Dead Lock Gross Key



134


Feature and Data:

- Size : 100 x 74 mm
- Backset :
- Dead Lock
- Gross Key
- 3 keys



RDL-B-012

Mortise Deadbolt Lock With Cross Keys



Technical Data:

- Size : 70×100 mm
- Application : Residential Door
- Backset : 47mm
- 3 Cross keys / key combination more 3000 nos

Finishing:

- Material : Brass cylinder, Steel case & Zinc Plated front & Strike Plates, Chrome Plated cylinder covers, Polished

Hidden Round Passage Lock

Stainless steel #304



136


Feature and Data:

- Application : Commercial Door & Residential Door
- Material : Stainless Steel
- Finish : Satin Stainless Steel




Cylindrical Lock

Series Functions



Entrance Lock


- Application : Room Door, etc.
Latchbolt retracted by knob/lever from either side unless outside is made inoperative by key outside or by turning inside thumbturn.



Storeroom Lock


- Application : Storerooms, Machine rooms, equipment room, etc.
Latchbolt retracted by key outside or by knob/lever inside.

Emergency unlock device
(emergency cylinder)



Bathroom Lock

- Application : Bathrooms, Restrooms, etc.
Latchbolt retracted by knob/lever from either side unless outside is locked by inside thumbturn.



Passage Latch

- Application : Partitions
Latchbolt retracted by knob/lever from either side unless outside is locked by inside thumbturn.



RDC-ML-5201A

Stainless Steel Cylindrical Lock




Technical Data:

- Backset : 60 mm , 70 mm
- Door thickness : 45 mm - 64 mm
- Cylinder : Pin tumblers
- Keying : MK , GMK , KA Available
- Knob : Stainless Steel


Features:

- Wide range of applications
- Smooth and easy operation
- Automatically locking for convenience
- Easy installation




RDC-ML-5202A

Bathroom Door Lock



RDC-ML-5204A

Passage Lock



Technical Data:

- Backset : 60 mm , 70 mm
- Door thickness : 45 mm - 64 mm
- Cylinder : 5 pin tumblers (E , F type knob)
- Keying : MK , GMK , KA Available
- Knob : Stainless Steel

Features:

- Wide range of applications
- Smooth and easy operation
- Automatically locking for convenience
- Easy installation

Technical Data:


- Backset : 60 mm , 70 mm
- Door thickness : 45 mm - 64 mm
- Cylinder : Pin tumblers
- Keying : MK , GMK , KA Available
- Knob : Stainless Steel

Features:

- Wide range of applications
- Smooth and easy operation
- Automatically locking for convenience
- Easy installation

RDC-ML-5203A

Classroom / Storeroom Lock



Technical Data:

- Backset : 60 mm , 70 mm
- Door thickness : 45 mm - 64 mm
- Cylinder : Pin tumblers
- Keying : MK , GMK , KA Available
- Knob : Stainless Steel

Features:





- Wide range of applications
- Smooth and easy operation
- Automatically locking for convenience
- Easy installation



Electronic Entrance & Furniture Lock

RDL-A-WS200

From Japan
Aluminum Body



Technical Data:

- Size : 72×320 mm
- Door thickness : 50-60 mm
- Backset : 64 mm
- Spacing : 80 mm

Features:

- Application : Commercial Door & Residential Door
- Material : Aluminum body and handle, Stainless
- Steel deadbolt and brass latch
- Handing : Right / Left
- Color : Silver



User Cards




Registration Cards



Mechanical Keys

RDL-ML8011

Smart Cube Lock



Technical Data:

- Size : 70x70x45 mm
- Door thickness : 35-55 mm
- Lock body : 60 - 70 mm Single touge


Features:

- Application : Wooden door, Metal door
- Material : Zinc alloy Body
- Unlock Method : Fingerprint, Password, Card, App, Tuya (Wi-Fi), Key
- Password : 100pcs
- Fingerprint : 50pcs
- Recognition speed : 0.3s
- Color : Black, Sliver
- Power Supply : 4 x AAA



RDL-F040

Smart Furniture Lock



Feature and Data:

- Size : 32 x 32 x 19.4 mm
- fingerprint capacity : 10
- Panel Material : ABS
- Unlocking Way: Fingerprint, E-key
- Power Supply Method : 3*AAA alkaline batteries
- Supply Voltage : 4.5V
- Static Current : $\leq 30\mu\text{A}$
- Battery Life : More than 1 year (used 10 times a day)

Finishing:


- Color: Black, White, Silver, Gold



Fingerprint

RDL-F045S

Smart Furniture Lock



Feature and Data:

- Size : Ø48 x 24.1 mm
- fingerprint capacity : 10
- Panel Material: Zinc alloy
- Unlocking Way: Fingerprint, E-key
- Power Supply Method : 3*AAA alkaline batteries
- Supply Voltage : 4.5V
- Static Current : ≤ 30uA
- Battery Life : More than 1 year (used 10 times a day)


Finishing:

- Color: Black, White



RDL-F113

Smart Furniture Lock



150

Feature and Data:

- Size : 33 x 51 x 14 mm
- fingerprint capacity : 20
- Panel Material : Zinc alloy
- Unlocking Way: Fingerprint, E-key
- Power Supply Method : 3*AAA alkaline batteries
- Supply Voltage : 4.5V
- Static Current : ≤ 30uA
- Battery Life : More than 1 year (used 10 times a day)


Finishing:

- Color: Gold, Silver, Black, Gray, Black Rush, Brushed



RDL-F115

Smart Furniture Lock



151

Feature and Data:

- Size : 29.5 x 44 x 27 mm
- fingerprint capacity : 20
- Panel Material: Zinc alloy
- Unlocking Way: Fingerprint, E-key
- Power Supply Method : 3*AAA alkaline batteries
- Supply Voltage : 4.5V
- Static Current : ≤ 30uA
- Battery Life : More than 1 year (used 10 times a day)

Finishing:

- Color: Black, White



TuyaApp





Bluetooth



Fingerprint

RDL-ML8001

Fingerprint Drawer Lock



152

Feature and Data:

- Size : 29.5 x 44 x 27 mm
- fingerprint capacity : 20
- Panel Material: Zinc alloy
- Unlocking Way: Fingerprint, E-key
- Supply Voltage : 5V
- Static Current : ≤ 30uA

Finishing:


- Color: Silver



Fingerprint

RDL-ML8002

Fingerprint Cam Lock



Feature and Data:

- Size : 33 x 51 x 14 mm
- fingerprint capacity : 20
- Panel Material : Zinc alloy
- Unlocking Way: Fingerprint, E-key
- Supply Voltage : 5V
- Static Current : $\leq 30\mu\text{A}$

Finishing:

- Color: Silver



RDL-CL1112

3 Dial Resetable Cam Lock



154

Feature and Data:

- Size : 19mm(3/4"), cam:38mmx15mm
- Weight : 158g
- Material : Zinc alloy
- Poly bag

Finishing:

- Color: Silver Plated



RDL-CL1118

4 Dial Combinatin Slide Bolt



155


Feature and Data:

- Size : 112x50x25mm
- Weight : 292g
- Material : Zinc alloy
- Resetable Type : Yes



Finishing:

- Color: Sliver Plated





Panic Bolt

RPB-302 / RPB-302-


Cylinder Pull
Stainless Steel #304





158

Feature and Data:

- Lock Point : 1
- Touch Bar : Full length of device, 926 mm
- Door Style : Single and Double door
- Max. Door Weight : 200 kg
- Dogging Device : Optional
- Security Anti-thrust latch : Standard
- Material : Stainless Steel or Steel Powder Coating
- Door Width : 650-1389 mm
- Door Height : 2133 mm
- Door Thickness : 50 mm
- Non-handed : Yes



RPB-307
Cylinder Pull
Stainless Steel #304



Feature and Data:


- Lock Point : 2
- Touch Bar : Full length of device, 926 mm
- Door Style : Single and Double door
- Max. Door Weight : 200 kg
- Dogging Device : Optional
- Security Anti-thrust latch : N/A
- Material : Stainless Steel or Steel Powder Coating
- Door Width : 650-1389 mm
- Door Height : 2133 mm
- Door Thickness : 50 mm
- Non-handed : Yes

RPB-501**Cylinder Pull
Stainless Steel #304**


160

Feature and Data:

- Lock Point : 1
- Pull Bar : 1000 mm length
- Door Style : Single and Double door
- Max. Door Weight : 200 kg
- Dogging Device : Optional
- Security Anti-thrust latch : N/A
- Material : Stainless Steel or Steel Powder Coating
- Door Width : up to 1500 mm
- Door Height : 2133 mm
- Door Thickness : 50 mm
- Non-handed : Yes



RPB-506
Cylinder Pull
Stainless Steel #304




Feature and Data:

- Lock Point : 2
- Pull Bar : 1000 mm length
- Door Style : Single and Double door
- Max. Door Weight : 200 kg
- Dogging Device : Optional
- Security Anti-thrust latch : N/A
- Material : Stainless Steel or Steel Powder Coating
- Door Width : up to 1500 mm
- Door Height : 2133 mm
- Door Thickness : 50 mm
- Non-handed : Yes



Heavy Duty Shelf Support

RSS-8000 Aluminum



164

Technical Data:


- Size : 6 / 8 / 10 / 12 / 16 / 18 / 20 / 22 / 24 inches
- Loading : 100 kg

Features:

- Application : For goods and other storage applications
- Made of high-quality aluminum
- Provide a solid support for the goods
- Easy to install and reusable

Finishing:

- Surface is process the anodizing aluminium





- +852 2392 0602
- +852 9280 6213
- +852 2789 0752
- mth@hkstar.com

Unit 5, 1/F., Kinglet Industrial Building, 21-23 Shing Wan Road, Tai Wai, New Territories, Hong Kong.

Rapid Intelligent

rapidintelligent UK

rapidintelligent



mth.com.hk